

FIG. 1
(Prior Art)




FIG. 2




FIG. 3




FIG. 4

400




FIG. 5




FIG. 6

```
<ViewLogicBridge
  xmlns:xlink="www.w3.org/1999/xlink"
  xlink:type="extended">

  <LogicReference xlink:type="locator"
    serviceID="urn:vendorManagedInventoryService"
    serviceTModelID="uuid:C0B9FE13-179K-413A-8S5A-5004AJ8U5BB2"
    xlink:href="http://www.delivery.com/etailing-valuechain/servlet/soap/rpcrouter"
    xlink:label="Vendor.Managed.Inventory.WebService"/>

  <ViewReference xlink:type="locator"
    xlink:href
      ="http://www.delivery.com/etailing-valuechain/views/retailer/inventory.par"
    xlink:label="Retailer.Inventory.View"/>

  <Bridge xlink:type="arc"
    xlink:from="Vendor.Managed.Inventory.WebService"
    xlink:to ="Retailer.Inventory.View"/>

  <comment xlink:type="title" xml:lang="en-US"
    This LinkBase stores third party xlinkns associating webservices
    with their respective views.
  </comment>
  <comment xlink:type="title" xml:lang="de">
    ...
  </comment>

</ViewLogicBridge>
```

FIG. 7

